

Card Cutter

Applications: Business cards • Compliment cards • Photo • Much more!



Features

- Full bleed cutting.
- Long blade life.
- Highest accuracy.
- Mark reader equipped.
- Most flexible formats in its class.
- Tandem paper feed system for coated paper.
- Sheet thickness compensation separator adjustment.
- Handles card stock from 180 gsm to 300 gsm no adjustment needed.
- Adjustable first cut length and for follow on cuts to take into account image drift.
- Standard fitment mark reader for automatic self adjustment for compensation of variable image drift.

SRA3 Plus

Specification

In-feed paper size	SRA3 or A3
Paper weight	180-300GSM
Slitting width	50mm
Out put paper size	50×45mm, 50×50mm, 50×54mm, 50×90mm, 50×127mm
Output column	5
Tray capacity	8mm
Expand tray capacity	127mm/ Ca.20kg
Process speed	15 sheets/minute
Dimensions	800×500×700mm
Operation Display	LCD Panel
Power Supply	220V/50HZ



calcutta art studio pvt. ltd.

www.calcuttaartstudio.com

185/1, Bipin Behari Ganguly Street, Kolkata-700 012 **Landline** (033) 2241 8379, 2219 4366

Mobile +91 9331016168, 9874673366 **WhatsApp** +91 9874673366 **Email** caspvt@gmail.com

335

Auto Creaser

Applications: Book cover • Coupon • Perforated tickets • Much more!



Features

- Skew adjustment.
- Interchangeable tools.
- LCD panel and display.
- Speed : 40 sheets/Min(A4 one crease).
- Multi function units option tools.
- Infinite crease depth adjustment.
- Crease tools/Cross perforating bar/Linear tools.
- Floor space requirement less than 0.5 square meter.





Applications



Linear and cross perforate




Score and crease



Kiss cut



Slit



Easy exchangeable

Specification

Infeed Paper Size	Minimum	50mmx90mm
	Maximum	330mmx900mm
Paper Net weight	100g-400g/0.1-0.4mm	
Paper Type	Non coated paper, coated paper, laminated paper	
Crease width	1.0mm	
Cross Crease/Perforate	Maximum 32 crease/perforate per sheet	
Accuracy	±0.2mm	
Linear perforating tool	Up to 4 sets 12/24TPI	
Speed	40 Sheets/Min(A4 one crease)	
Infeed Type	Hand feed	
Out Put Capacity	30mm	
Operation Display	LCD Panel	
Standard Features	Skew compensation, Right side infeed register Crease depth adjustment	
Option	Scoring blade & Linear perforating blade Crease die 0.6/1.2/1.4mm Stand	
Power Supply	220V,50HZ	
Net weight	43KG	
Dimensions(LxDxH)	110cmx51cmx38cm	



Multiple design



Tools display



Easy mount bottom tools(Patent)

calcutta art studio pvt. ltd.

www.calcuttaartstudio.com

185/1, Bipin Behari Ganguly Street, Kolkata-700 012 **Landline** (033) 2241 8379, 2219 4366

Mobile +91 9331016168, 9874673366 **WhatsApp** +91 9874673366 **Email** caspvt@gmail.com

330B/335B

Auto Creaser

Applications: Book cover • Coupon • Perforated tickets • Much more!

Features



- Suction feed with low noise.
- Speed up to 75pcs/min(A4).
- Slid-in tools, easy to exchange.
- Large capacity feeder up to 100mm.
- Floor space requirement less than 0.5 square meter.
- Cross perf bar/Linear perf tool/Score/Crease/Slit/Kiss cut.





Applications

335B


Linear and cross perforate




Score and crease



Kiss cut



Slit



Specification


Infeed Paper Size	Minimum	140mmx150mm
	Maximum	330mmx650mm
Paper Net weight	100g-400g/0.1-0.4mm	
Paper Type	Non coated paper, coated paper, laminated paper	
Crease width	1.0mm	
Cross crease/perforate	Maximum 32 creases per sheet	
Accuracy	±0.2mm	
Linear perforating tool	Up to 4 sets 12/24TPI	
Speed	75 Sheets/Min(A4 one crease)	
Infeed Type	Suction feed	
Out Put Capacity	30mm	
Operation Display	LCD Panel	
Standard Features	Skew compensation, Right side infeed register Crease depth adjustment	
Option	Scoring blade & Linear/cross perforating blade Slitter/Kiss cutter	
	Stand	
Power Supply	220V,50HZ	



Easy exchangeable



Suction feed



Tools display

calcutta art studio pvt. ltd.

www.calcuttaartstudio.com

185/1, Bipin Behari Ganguly Street, Kolkata-700 012 **Landline** (033) 2241 8379, 2219 4366

Mobile +91 9331016168, 9874673366 **WhatsApp** +91 9874673366 **Email** caspvt@gmail.com

SF25

Stitch Folder

Applications : Calendars • Corporate reports • Catalogs • Brochures • Yearbooks

Features

- Back and side jog.
- Automatic job setup.
- Speed up to 2000 books/hour.
- Out put stacker to keep sheets tidy.
- Saddle-stitched mode & side-stitched mode.
- Professional guides to guarantee the accurate fold.

Specification

In-Feed Paper Size	Minimum	140mmx210mm
	Maximum	330mmx480mm
Paper Weight	50g-250g/0.05-0.25mm	
Paper Type	Non coated paper, coated paper, laminated paper	
In feed	Hand	
Fold type	Knife fold	
Out put	Auto out-feed conveyor	
Mode	Saddle-stitch & Side-stitch	
Speed	2000 books/hour	
Accuracy	+/-0.5mm	
Thickness	80g paper 2-25pieces (Saddle-stitch) 2.6mm (Side-stitch)	
Operation Display	LCD Panel	
Power Supply	220V/50HZ	




Sheet guides



Wire stitch head



Out put tray



Auto out-feed conveyor

calcutta art studio pvt. ltd.

www.calcuttaartstudio.com

185/1, Bipin Behari Ganguly Street, Kolkata-700 012 **Landline** (033) 2241 8379, 2219 4366

Mobile +91 9331016168, 9874673366

WhatsApp +91 9874673366

Email caspvt@gmail.com

5375BSC

Slit-cut Creaser


*Application: Full-bleed digital documents • Business cards • Greeting cards
Postcards • Direct mail pieces • Book covers • Brochures • Photos
Tent cards • Tickets (perforated)*

Features

- Image shift compensation.
- Ultrasonic double detection.
- Large Color Touch screen control.
- Bar code reader for auto setup in seconds.
- Floor space requirement less than 1.5 square meter.
- Register mark reader for X and Y direction compensation.
- Interchangeable crease or cross perforating tools (12/24 TPI).
- Up to 6 slits, 32 cuts, 32 creases or 32 cross perforate in one pass.




Bar code reader



Barcode reader is a solution to identify and process different kinds of job automatically, it is printed near the leading edge of each sheet, the machine will know what and how many to do in following jobs after the information in the barcode is put into the CPU. That's what makes the machine intelligent and job easier.

Register mark reader



A bar code reader automatically sets up the system and reads the image registration mark so that all the operation of the machines are related to the position of the image on the paper. This unique feature automatically corrects the problem of image drift inherent in many digital print engines.

Register mark reader detects image shift according to the sheet data input advance, and the program automatically compensate the skew caused by the traditional print work, a perfect accurate job will be done.



Slit blade sets up in seconds



Mark reader and bar code reader



Ultrasonic double feed detector



Color LCD touch screen

calcutta art studio pvt. ltd.

www.calcuttaartstudio.com

185/1, Bipin Behari Ganguly Street, Kolkata-700 012 Landline (033) 2241 8379, 2219 4366

Mobile +91 9331016168, 9874673366 WhatsApp +91 9874673366 Email caspvt@gmail.com

5375BSC

All in one finishing



Specification

Infeed Paper Size	Minimum	210mmx210mm
	Maximum	370mmx670mm
Paper Weight	150g-380g/0.15-0.38mm	
Paper Type	Non coated paper, coated paper, laminated paper	
Output Paper Size	Minimum	50mmx30mm
	Maximum	370mmx670mm
Business cards	Maximum 24pcs (SRA3 to 90mmx54mm)	
Cut	Maximum 32 cuts per sheet	
Slit	Maximum 6 slits per sheet	
Crease/Perforate	Maximum 32 crease/perforate per sheet	
Crease Width	Standard	1.0mm Option 0.6/1.2/1.4mm
Linear perforating tool	Up to 4 sets 12/24TPI	
Speed	20 Sheets/Min (A4 one crease)	
Infeed Type	Air/Hand feed	
Operation Display	9 Inches color touch screen	
Standard Features	Skew compensation, Right side infeed register Crease depth adjustment, Continue feed	
Power Supply	220V/50HZ	
Weight	125KG	
Dimensions(LxDxH)	191cmx48cmx108cm	

Options



Perforating blade 12TPI/14TPI



Crease bar 0.6/1.0/1.2/1.4



Perforating bar 12/24TPI



Bar code software

calcutta art studio pvt. ltd.

www.calcuttaartstudio.com

185/1, Bipin Behari Ganguly Street, Kolkata-700 012 **Landline** (033) 2241 8379, 2219 4366

Mobile +91 9331016168, 9874673366 **WhatsApp** +91 9874673366 **Email** caspvt@gmail.com

Wiro Finishing Machine

Double wire **CLOSING** machine (DWC-610)



Specification

Model	DWC-610
Feeding modle	Manual
Handing of Double Wire	Pre-cut Double Wire inserted by hand
Wire Specifications	Diameter: 1/4"-1-1/2" Pitch: 4:1", 3:1", 2:1"
Max. Paper Width mm	610
Max. Binding Width mm	600
Min. Paper Length mm	65
Working Speed Cycles/hr	900-1200 (wire pre-inserted)
Size of Worktable (WxD) mm	610 * 455
Power Supply	220V/1ph/50Hz
Machine Dimensions (WxDxH) mm	610 * 600 * 1270
Net Weight kg	123

Manufactured by
HONGKONG HONGYUAN CULTURAL COMMODITY CO. LIMITED
SHENZHEN HONGYUAN STATIONERY CO. LTD.

calcutta art studio pvt. ltd.

www.calcuttaartstudio.com

185/1, Bipin Behari Ganguly Street, Kolkata-700 012 **Landline** (033) 2241 8379, 2219 4366

Mobile +91 9331016168, 9874673366 **WhatsApp** +91 9874673366 **Email** caspvt@gmail.com

Wiro Finishing Machine

Semi-Automatic **PUNCHING** machine (SPM-610)



Specification

Model	SPM-610
Max. Paper Width mm	610
Max. Punching Width mm	600
Max. Paper Thickness mm	2
Max. Cycle Speed Cycles/hr	4800
working Speed Cycles/hr	2400-3000
Stroke mm	17
Size of Worktable (W*D) mm	890 * 295
Power Supply	380V/3PH/50Hz
Power Consumption kw	1.1
Dimensions of Machine mm	1070 * 700 * 1050
Net Weight kg	368



Manufactured by
HONGKONG HONGYUAN CULTURAL COMMODITY CO. LIMITED
SHENZHEN HONGYUAN STATIONERY CO. LTD.

calcutta art studio pvt. ltd.

www.calcuttaartstudio.com

185/1, Bipin Behari Ganguly Street, Kolkata-700 012 **Landline** (033) 2241 8379, 2219 4366

Mobile +91 9331016168, 9874673366 **WhatsApp** +91 9874673366 **Email** caspvt@gmail.com